Journal of Internal Medicine 1990; 227: 435–438

Author Index

Adamsson U, *see* Wahrenberg H *et al.*, 309
Aliberti G, *see* D'Erasmo E *et al.*, 11
Alm GV, *see* Rönnblom LE *et al.*, 207
Anderson IP, *see* Odar-Cederlöf I *et al.*, 329
Andersson B, Seidell J, Terning K & Björntorp P. Influence of menopause on dietary treatment of obesity, 173
Andersson R, Rundgren Å, Rosengren K, Bengtsson B-Å, Malmvall B-E & Mellström D. Osteoporosis after long-term corticosteroid treatment of giant cell arteritis, 391
Angelin B, Leijd B, Hultcrantz R & Einarsson K. Increased turnover of very low density lipoprotein triglyceride during treatment with cholestyramine in familial hypercholesterolaemia, 201
Arner P, *see* Wahrenberg H *et al.*, 309
Asplund K, *see* Lundman BM *et al.*, 101

Backman C, *see* Kristoffersson A *et al.*, 317
Ballegaards S, Pedersen F, Pietersen A, Nissen VH & Olsen NV. Effects of acupuncture in moderate, stable angina pectoris: a controlled study, 25
Bassan H, *see* Odeh M *et al.*, 145
Baynes R, *see* Meyer T *et al.*, 397
Bengtsson B-Å, *see* Andersson R *et al.*, 391
Bengtsson B-Å, *see* Nordborg E, 233
Berger JP, Buclin T, Haller E, Van Melle G & Yersin B. Right arm involvement and pain extension can help to differentiate coronary diseases from chest pain of other origin: a prospective emergency ward study of 278 consecutive patients admitted for chest pain, 165
Berglund, A, *see* Fagerberg B *et al.*, 37
Berglund J, Borup Christensen S & Hallengren B. Total and age-specific incidence of Graves' thyrotoxicosis, toxic nodular goitre and solitary toxic adenoma in Malmö, 1970–74, 137
Bergström B, Lilja B, Österlin S & Sundqvist G. Autonomic neuropathy in non-insulin dependent diabetes mellitus. Possible influence of obesity, 57
Björntorp P. How should obesity be defined?, 147
Björntorp P, *see* Andersson B *et al.*, 173
Bleifeld, W, *see* Lorenz RL *et al.*, 429
Blume J, *see* Kiesewetter H *et al.*, 107
Bobbaers HJ, *see* Desmet GD *et al.*, 237
Boberg J, *see* Janzon L *et al.*, 301
Boberg, M, *see* Janzon L *et al.*, 301
Bödvarsson Á, Franzson L & Briem H. Creatine kinase isoenzyme BB in the cerebrospinal fluid of patients with acute neurological disease, 5
Boender CA, *see* Sinnige HAM *et al.*, 355
Bondesson U, *see* Odar-Cederlöf I *et al.*, 329
Borup Christensen S, *see* Berglund J *et al.*, 137
Bothwell T, *see* Meyer T *et al.*, 397
Böttiger LE. Medicines and risk, 1
Boudes P. Mediastinal tumour as the presenting manifestation of Wegener's granulomatosis, 215
Briem H, *see* Bödvarsson Á *et al.*, 5
Buclin T, *see* Berger JP *et al.*, 165

Carlsson M, *see* Mölgaard J *et al.*, 339
Celi FS, *see* D'Erasmo E *et al.*, 11
Cheung A & Choi A. Infection of mural thrombus: a case report and literature review, 281
Choi A, *see* Cheung A, 281

D'Erasmo E, Aliberti G, Celi FS, Romagnoli E, Vecci E & Mazzuoli GF. Platelet count, mean platelet volume and their relation to prognosis in cerebral infarction, 11
Dahlqvist M, *see* Jakobsson J *et al.*, 15
Dale J, *see* Kontny F, 211
Dalhoff K, *see* Ott P *et al.*, 423
Danner SA, *see* Eeftinck Schattenkerk JKM *et al.*, 359
Desmet GD, Knockaert DC & Bobbaers HJ. Temporal arteritis: the silent presentation and delay in diagnosis, 237
Ditzel J, *see* Mathiassen B *et al.*, 325
Du Toit E, *see* Meyer T *et al.*, 397
Dymling J-F, *see* Lindström M *et al.*, 407

Eckert B, *see* Thorngren M *et al.*, 189
Edvinsson L, Ekman R, Hedner P, Sjöholm A & Valdemarsson S. γ_2-MSH in congestive heart failure: relation to atrial natriuretic peptide, arginine vasopressin and catecholamines, 183
Edwards CRW, *see* Teelucksingh S, 143
Eeftinck Schattenkerk JKM, Lange JMA, van Steenwijk RP & Danner SA. Can the course of high dose cotrimoxazole for *Pneumocystis carinii* pneumonia in AIDS be shorter? A possible solution to the problem of cotrimoxazole toxicity, 359
Einarsson K, *see* Angelin B *et al.*, 201
Ekman R, *see* Edvinsson L *et al.*, 183
Elmfeldt D, *see* Fagerberg B *et al.*, 37
Eneroth P, *see* Theorell T *et al.*, 31
Erhardt L, *see* Ericsson O-G *et al.*, 195
Ericsson O-G, Erhardt L & Rehnqvist N. Two-year survival after myocardial infarction, 195
Eriksen J, *see* Gram-Hansen P *et al.*, 133
Erikson U, *see* Olsson AG *et al.*, 381
Eriksson I, *see* Janzon L *et al.*, 301
Ernst E, Kollar L & Matrai A. A double-blind trial of Dextran-haemodilution vs. placebo in claudicants, 19
Ernst E. Plasma fibrinogen — an independent cardiovascular risk factor, 365

Fagerberg B, Berglund A, Holme E, Wilhelmsen L & Elmfeldt D. Metabolic effects of controlled release metoprolol in hypertensive men with impaired or diabetic glucose tolerance: a comparison with atenolol, 37
Foss OP & Kehn Jensen E. The effect of captopril and metoprolol as monotherapy or combined with bendroflumethiazide on blood lipids, 119
Franzson L, *see* Bödvarsson Á *et al.*, 5
Fujita H, *see* Kajinami K *et al.*, 247

Gomez-Marin O, *see* Råstam L *et al.*, 225
Görög P, Ridler CD & Kovacs IB. Heparin inhibits spontaneous thrombolysis and the thrombolytic effect of both streptokinase and tissue-type plasminogen activator. An *in vitro* study of the

dislodgement of platelet-rich thrombi formed from native blood, 125
Gram-Hansen P, Eriksen J, Mourits-Andersen T & Olesen L. Glycosylated haemoglobin (HbA_{1c}) in iron and vitamin B12 deficiency, 133
Granqvist K, *see* Kristoffersson A *et al.*, 317
Grodum E & Petersen HA. Temporal arteritis with normal erythrocyte sedimentation rate, 279
Grundy SM, *see* Vega GL *et al.*, 81

Haglund O, Wallin R, Luostarinen R & Saldeen T. Effects of a new fluid fish oil concentrate, ESKIMO-3, on triglycerides, cholesterol, fibrinogen and blood pressure, 347
Hallengren B, *see* Berglund J *et al.*, 137
Haller E, *see* Berger JP *et al.*, 165
Hallmans G, *see* Nilsson TK *et al.*, 267
Hamm CW, *see* Lorenz RL *et al.*, 429
Hansen PB, *see* Ott P *et al.*, 423
Hedner P, *see* Edvinsson L *et al.*, 183
Hekali P, *see* Kupari M *et al.*, 259
Helin P, *see* Recht L *et al.*, 49
Hellsten G, *see* Nilsson TK *et al.*, 267
Hilden T, *see* Ibsen H, 77
Holme E, *see* Fagerberg B *et al.*, 37
Hultcrantz R, *see* Angelin B *et al.*, 201

Ibsen H & Hilden T. New views on the relationship between coronary heart disease and hypertension, 77
Inazu A, *see* Kajinami K *et al.*, 247
Iversen E, Jeppesen D & Steensgaard-Hansen F. Direct diabetogenic effect of diltiazem?, 285

Jacobs P, *see* Meyer T *et al.*, 397
Jacobsen J, *see* Recht L *et al.*, 49
Jakobsson J, Dahlqvist M & Rehnqvist N. Resuscitation of hospitalized patients, 15
Janzon L, *see* Lindström M *et al.*, 407
Janzon L, Boberg J, Boberg M, Eriksson I, Lindgärde F & Persson G. Prevention of myocardial infarction and stroke in patients with intermittent claudication; effects of ticlopidine. Results from STIMS, the Swedish Ticlopidine Multicentre Study, 301
Järhult J, *see* Kristoffersson A *et al.*, 317
Jenkins T, *see* Meyer T *et al.*, 397
Jeppesen D, *see* Iversen E *et al.*, 285
Jooste P, *see* Meyer T *et al.*, 397
Juhlin-Dannfelt A, *see* Wahrenberg H *et al.*, 309
Jula A, Rönnemaa T, Rastas R, Karvetti R-L & Mäki J. Long-term norpharmacological treatment for mild to moderate hypertension, 413
Jung F, *see* Kiesewetter H *et al.*, 107

Kajinami K, Mabuchi H, Inazu A, Fujita H, Koizumi J, Takeda R, Matsue T & Kibata M. Novel gene mutations at the low density lipoprotein receptor locus: FH-Kanazawa and FH-Okayama, 247
Karasek RA, *see* Theorell T *et al.*, 31
Karvetti R-L, *see* Jula A *et al.*, 413
Katzman PL, *see* Lindström M *et al.*, 407
Kehn Jensen E, *see* Foss OP, 119
Kibata M, *see* Kajinami K *et al.*, 247
Kiesewetter H, Blume J, Jung F, Spitzer S & Wenzel E. Haemodilution with medium molecular weight hydroxyethyl starch in patients with peripheral arterial occlusive disease stage IIb, 107
Knockaert DC, *see* Desmet GD *et al.*, 237
Koizumi J, *see* Kajinami K *et al.*, 247
Kollar L, *see* Ernst E *et al.*, 19
Kontny F & Dale J. Self-terminating idiopathic ventricular fibrillation presenting as syncope: a 40-year follow-up report, 211
Korpela, H, *see* Luoma PV *et al.*, 287
Kovacs IB, *see* Görög P *et al.*, 125
Krauss RM, *see* Vega GL *et al.*, 81
Kristoffersson A, Backman C, Granqvist K & Järhult J. Pre- and postoperative evaluation of renal function with five different tests in patients with primary hyperparathyroidism, 317
Kupari M, Volin L, Suokas A, Hekali P, Ruutu T. Cardiac involvement in bone marrow transplantation: serial changes in left ventricular size, mass and performance, 259
Kuskowska-Wolk A & Rössner S. Prevalence of obesity in Sweden: cross-sectional study of a representative adult population, 241
Kuypers EW, *see* Sinnige HAM *et al.*, 355

Lähdevirta J, *see* Maury CPJ, 253
Landin K, Tengborn L & Smith U. Elevated fibrinogen and plasminogen activator inhibitor (PAI-1) in hypertension are related to metabolic risk factors for cardiovascular disease, 273
Lange JMA, *see* Eeftinck Schattenkerk JKM *et al.*, 359
Leijd B, *see* Angelin B *et al.*, 201
Lilja B, *see* Bergström B *et al.*, 57
Lindgärde F, *see* Janzon L *et al.*, 301
Lindmark B. Asthma and heterozygous α_1-antichymotrypsin deficiency: a possible association, 115
Lindström M, Nilsson AL, Katzman PL, Janzon L & Dymling J-F. Use of anabolic-androgenic steroids among body builders – frequency and attitudes, 407
Lins P-E, *see* Wahrenberg H *et al.*, 309
Lithman T, *see* Recht L *et al.*, 49
Loft S, *see* Ott P *et al.*, 423
Lönnroth P & Smith U. Microdialysis — a novel technique for clinical investigations, 295
Lorenz RL, Hamm CW, Riesner H, Bleifeld W & Weber PC. A prospective study of the diagnostic value of urinary thromboxane in patients presenting with acute chest pain, 429
Lundman BM, Asplund K & Norberg A. Smoking and metabolic control in patients with insulin-dependent diabetes mellitus, 101
Luoma PV, Stengård J, Korpela H, Rautio A, Sotaniemi EA, Suvanto E & Marniemi J. Lipid peroxides, glutathione peroxidase, high density lipoprotein subfractions and apolipoproteins in young adults, 287
Luostarinen R, *see* Haglund O *et al.*, 347

Mabuchi H, *see* Kajinami K *et al.*, 247
Mäki J, *see* Jula A *et al.*, 413
Malmvall B-E, *see* Andersson R *et al.*, 391
Marniemi J, *see* Luoma PV *et al.*, 287
Martell R, *see* Meyer T *et al.*, 397
Mathiassen B, Nielsen S, Ditzel J & Pobro P. Long-term bone loss in insulin-dependent diabetes mellitus, 325
Matrai A, *see* Ernst E *et al.*, 19
Matsue T, *see* Kajinami K *et al.*, 247
Maury CPJ & Lähdevirta J. Correlation of serum cytokine levels with haematological abnormalities in human immunodeficiency virus infection, 253
Mazzuoli GF, *see* D'Erasmo E *et al.*, 11

Mellström D, *see* Andersson R *et al.*, 391
Meyer T, Baynes R, Bothwell T, Jenkins T, Jooste P, Du Toit E, Martell R & Jacobs P. Phenotypic expression of the HLA linked iron-loading gene in males over the age of 40 years: a population study using serial serum ferritin estimations, 397
Michelsen S & Otterstad JE. Blood pressure response during maximal exercise in apparently healthy men and women, 157
Mölgaard J, Carlsson M, Nilsson J & Olsson AG. Decreased mitogenic activity in hypercholesterolaemic plasma, 339
Mourits-Andersen T, *see* Gram-Hansen P *et al.*, 133

Nielsen OJ & Thaysen JH. Erythropoietin deficiency in acute tubular necrosis, 373
Nielsen S, *see* Mathiassen B *et al.*, 325
Nilsson AL, *see* Lindström M *et al.*, 407
Nilsson B, *see* Ryberg M *et al.*, 95
Nilsson J, *see* Mölgaard J *et al.*, 339
Nilsson TK, Sundell IB, Hellsten G & Hallmans G. Reduced plasminogen activator inhibitor activity in high consumers of fruits, vegetables and root vegetables, 267
Nilsson-Ehle I & Nilsson-Ehle P. Changes in plasma lipoproteins in acute malaria, 151
Nilsson-Ehle P, *see* Nilsson-Ehle I, 151
Nissen VH, *see* Ballegaard S *et al.*, 25
Norberg A, *see* Lundman BM *et al.*, 101
Nordborg E & Bengtsson B-Å. Epidemiology of biopsy-proven giant-cell arteritis (GCA), 233
Nossent JC & Swaak JG. Pancytopenia in systemic lupus erythematosus related to azathioprine, 69
Nyrop M & Olgaard K. Cyclosporin A treatment of severe steroid resistant nephrotic syndrome in adults, 65

Öberg KE, *see* Rönnblom LE *et al.*, 207
Odar-Cederlöf I, Anderson IP & Bondesson U. Nifedipine as an antihypertensive drug in patients with renal failure — pharmacokinetics and effects, 329
Odeh M, Bassan H & Olivan A. Termination of intractable hiccups with digital rectal message, 145
Olesen L, *see* Gram-Hansen P *et al.*, 133
Olgaard K, *see* Nyrop M, 65
Oliven A, *see* Odeh M *et al.*, 145
Olsen NV, *see* Ballegaard S *et al.*, 25
Olsson AG, *see* Mölgaard J *et al.*, 339
Olsson AG, Ruhn G & Erikson U. The effect of serum lipid regulation on the development of femoral atherosclerosis in hyperlipidaemia: a non-randomized controlled study, 381
Österlin S, *see* Bergström B *et al.*, 57
Östman J, *see* Wahrenberg H *et al.*, 309
Ott P, Dalhoff K, Hansen PB, Loft S & Poulsen HE. Consumption, overdose and death from analgesics during a period of over-the-counter availability of paracetamol in Denmark, 423
Otterstad JE, *see* Michelsen S, 157

Pedersen F, *see* Ballegaard S *et al.*, 25
Persson G, *see* Janzon L *et al.*, 301
Petersen HA, *see* Grodum E, 279
Pettersson P, *see* Ryberg M *et al.*, 95
Pietersen A, *see* Ballegaard S *et al.*, 25
Pøbro P, *see* Mathiassen B *et al.*, 325
Poulsen HE, *see* Ott P *et al.*, 423
Prineas RJ, *see* Råstam L *et al.*, 225

Rasmussenn JO, *see* Recht L *et al.*, 49
Råstam L, Prineas RJ & Gomez-Marin O. Ratio of cuff width/arm circumference as a determinant of arterial blood pressure measurements in adults, 225
Rastas R, *see* Jula A *et al.*, 413
Rautio A, *see* Luoma PV *et al.*, 287
Recht L, Helin P, Rasmussenn JO, Jacobsen J, Lithman T & Schersten B. Hand handicap and rheumatoid arthritis in a fish-eating society (the Faroe Islands), 49
Rehnqvist N, *see* Ericsson O-G *et al.*, 195
Rehnqvist N, *see* Jakobsson J *et al.*, 15
Ridler CD, *see* Görög P *et al.*, 125
Riesner H, *see* Lorenz RL *et al.*, 429
Riis P. The Peer Review Institution, 363
Rödjer S, Vikrot O, Wahlin A & Westin J. Effect of interferon alpha-2b in advanced multiple myeloma, 45
Romagnoli E, *see* D'Erasmo E *et al.*, 11
Rönnblom LE, Alm GV & Öberg KE. Possible induction of systemic lupus erythematosus by interferon-α treatment in a patient with a malignant carcinoid tumour, 207
Rönnemaa T, *see* Jula A *et al.*, 413
Rosenberg PH. Spinal analgesia — a modern approach to the treatment of severe pain, 291
Rosengren K, *see* Andersson R *et al.*, 391
Rössner S, *see* Kuskowska-Wolk A, 241
Ruhn G, *see* Olsson AG *et al.*, 381
Ruitenberg HM, *see* Sinnige HAM *et al.*, 355
Rundgren Å, *see* Andersson R *et al.*, 391
Ruutu T, *see* Kupari M *et al.*, 259
Ryberg M, Nilsson B & Pettersson P. Cardiovascular death after radiotherapy for benign bleeding disorders. The Radiumhemmet metropathia cohort 1912–1977, 95

Saldeen T, *see* Haglund O, 347
Schersten B, *see* Recht L *et al.*, 49
Seidell J, *see* Andersson B *et al.*, 173
Selroos O. Sarcoidosis and pregnancy: a review with results of a retrospective survey, 221
Sinnige HAM, Boender CA, Kuypers EW & Ruitenberg HM. Carbamazepine-induced pseudolymphoma and immune dysregulation, 355
Sjöholm A, *see* Edvinsson L *et al.*, 183
Smith U. Insulin resistance — a major hazard for cardiovascular disease?, 219
Smith U, *see* Landin K *et al.*, 273
Smith U, *see* Lönnroth P, 295
Sotaniemi EA, *see* Luoma PV *et al.*, 287
Spitzer S, *see* Kiesewetter H *et al.*, 107
Steensgaard-Hansen F, *see* Iversen E *et al.*, 285
Stengård J, *see* Luoma PV *et al.*, 287
Sundell IB, *see* Nilsson TK *et al.*, 267
Sundqvist G, *see* Bergström B *et al.*, 57
Suokas A, *see* Kupari M *et al.*, 259
Suvanto E, *see* Luoma PV *et al.*, 287
Swaak JG, *see* Nossent JC, 69

Takeda R, *see* Kajinami K *et al.*, 247
Teelucksingh S & Edwards CRW. Autoimmune progesterone dermatitis, 143
Tengborn L, *see* Landin K *et al.*, 273
Tierning K, *see* Andersson B *et al.*, 173
Thaysen JH, *see* Nielsen OJ, 373
Theorell T, Karasek RA & Eneroth P. Job strain variations in relation to plasma testosterone fluctuations in working men — a longitudinal study, 31
Thorngren M, Eckert B & Vinge E. Low dose acetylsalicyclic acid

and thromboxane release at the site of plug formation *in vivo* in elderly patients with cardiovascular disease, 189

Valdemarsson S, *see* Edvinsson L *et al.*, 183
Van Melle G, *see* Berger JP *et al.*, 165
van Steenwijk RP, *see* Eeftinck Schattenkerk JKM *et al.*, 359
Vecci E, *see* D'Erasmo E *et al.*, 11
Vega GL, Krauss RM & Grundy SM. Pravastatin therapy in primary moderate hypercholesterolaemia: changes in metabolism of apolipoprotein B-containing lipoproteins, 81
Vikrot O, *see* Rödjer S *et al.*, 45
Vinge E, *see* Thorngren M *et al.*, 189
Volin L, *see* Kupari M *et al.*, 259

Wahlin A, *see* Rödjer S *et al.*, 45
Wahrenberg H, Arner P, Adamsson U, Lins P-E, Juhlin-Dannfelt A & Östman J. Increased lipolytic sensitivity to catecholamines in diabetic patients with severe autonomic neuropathy, 309
Wallin R, *see* Haglund O *et al.*, 347
Weber PC, *see* Lorenz RL *et al.*, 429
Wenzel E, *see* Kiesewetter H *et al.*, 107
Westin J, *see* Rödjer S *et al.*, 45
Wilhelmsen L, *see* Fagerberg B *et al.*, 37

Yersin B, *see* Berger JP *et al.*, 165

Journal of Internal Medicine 1990; **227**: 439–442

Subject Index

Acetylsalicylic acid
  and thromboxane release in cardiovascular disease, 189
Acquired immunodeficiency syndrome
  therapy for *Pneumocystis carinii* pneumonia, 359
Acupuncture
  effects in moderate, stable angina pectoris, 25
α_1-antichymotrypsin deficiency
  possible association with asthma, 115
Anabolic-androgenic steroids
  use among body-builders, 407
Anaemia
  and erythropoietin deficiency in acute tubular necrosis, 373
  glycosylated haemoglobin levels in, 133
  in human immunodeficiency virus infection, 253
Analgesics
  consumption, overdose and death from, 423
Angina
  pectoris, effects of acupuncture, 25
  unstable, urinary thromboxane excretion in, 429
Antinuclear factors
  possible induction of systemic lupus erythematosus, 207
Apolipoproteins
  lipid peroxides and glutathione peroxidase, 287
Arginine vasopressin
  and γ_2-MSH in congestive heart failure, 183
Arterial occlusive disease
  peripheral, haemodilution treatment with hydroxyethyl starch, 107
Aspirin
  effect on thromboxane release in cardiovascular disease, 189
Asthma
  and heterozygous α_1-antichymotrypsin deficiency, 115
Atenolol
  effects in hypertension with impaired glucose tolerance, 37
Atheroma
  development in hyperlipidaemia, 381
Atrial natriuretic peptide
  and γ_2-MSH in congestive heart failure, 183
Autonomic neuropathy
  in diabetes mellitus, relationship with obesity, 57
  lipolytic sensitivity to catecholamines in diabetics with, 309
Azathioprine
  treatment of systemic lupus erythematosus, development of pancytopenia, 69

Bendroflumethiazide
  effect on blood lipid levels, 119
Bleeding time
  in acetylsalicylic acid treatment of cardiovascular disease, 189
Blood pressure
  arterial, determination by cuff width/arm circumference ratio, 225
  effect of fish oil concentrate, 347
  effects of anabolic-androgenic steroids, 407
  response during maximal exercise, 157
Body building
  and use of anabolic-androgenic steroids, 407
Body mass index
  and arterial blood pressure measurement, 225
  and prevalence of obesity in Sweden, 241
  effects of anabolic-androgenic steroids, 407
Bone loss
  in insulin-dependent diabetes mellitus, 325
Bone marrow transplantation
  cardiac involvement, 259

Calcium antagonists
  effect on glucose homeostasis, 285
Calcium channel blockers
  antihypertensive effects in renal failure, 329
Captopril
  effect on blood lipid levels, 119
Carbamazepine
  induction of pseudolymphoma and immune dysregulation, 355
Cardiac arrest
  resuscitation of hospitalized patients, 15
Cardiac function
  impairment during bone marrow transplantation, 259
Cardiovascular death
  after radiotherapy for benign bleeding disorders, 95
Catecholamines
  in diabetic patients with autonomic neuropathy, 309
  and γ_2-MSH in congestive heart failure, 183
Cerebral infarction
  and platelet parameters, 11
Cerebrospinal fluid
  creatine kinase isoenzyme BB in, 5
Cerebrovascular disorders
  effect of acetylsalicylic acid on thromboxane release, 189
Chest pain
  right arm involvement and pain extension, 165
Cholangitis
  and infection of mural thrombus, 281
Cholesterol
  and abnormal glucose tolerance in hypertensives, 37
  effect of fish oil concentrate, 347
  and lipid peroxides, 287
  levels during cholestyramine treatment in familial hypercholesterolaemia, 201
Cholestyramine
  treatment for familial hypercholesterolaemia, 201
Congestive heart failure
  possible role of γ_2-melanocyte stimulating hormone, 183
Coronary artery disease
  in normolipidaemic individuals, 287
Coronary care unit
  two-year follow-up of treated patients, 195
Coronary heart disease
  and hypertension, 77
  effect of captopril and metoprolol, 119
Corticosteroids
  as treatment for giant cell arteritis, side-effects, 391
Cotrimoxazole toxicity
  in treatment of *Pneumocystis carinii* pneumonia, 359

Creatine kinase isoenzyme BB
in cerebrospinal fluid, 5
Cuff width – arm circumference ratio
as determinant of arterial blood pressure, 225
Cyclosporin A
treatment of severe steroid resistant nephrotic syndrome, 65
Cytokines
levels in human immunodeficiency virus infection, 253

Death
from analgesic overdose, 423
Dextran haemodilution
vs. placebo in claudicants, 19
Diabetes mellitus
and autonomic neuropathy, relationship with obesity, 57
association with smoking and metabolic control, 101
in response to diltiazem treatment, 285
insulin-dependent, long-term bone loss, 325
and lipolytic sensitivity to catecholamines, 309
Diabetic neuropathy
relationship with obesity, 57
Dietary fat
in relation to hypertension, 413
Digital rectal massage
treatment for intractable hiccups, 145

Echocardiography
to evaluate cardiac involvement in bone marrow transplantation, 259
Epidemiology
of biopsy-proven giant cell arteritis, 233
Erythrocyte sedimentation rate
and temporal arteritis, 279
Erythropoietin deficiency
in acute tubular necrosis, 373

Familial hypercholesterolaemia
lipoprotein turnover during cholestyramine treatment, 201
novel gene mutations, 247
Fatty acids
in fish oil concentrate, effects, 347
Femoral atherosclerosis
in hyperlipidaemia, effect of serum lipids, 381
Fenofibrate
effect on femoral atherosclerosis in hyperlipidaemia, 381
Ferritin
serum concentration, test for reduced unsaturated iron-binding capacity, 397
Fibronogen
effect of fish oil concentrate, 347
levels in hypertension, 273
Fibrinolysis
effect of heparin, 125
and food intake habits, 267
Fish oil
effect on blood lipids, fibrinogen and blood pressure, 347
Food consumption patterns
and plasminogen activator inhibitor activity, 267

Gamma$_4$-melanocyte stimulating hormone
in congestive heart failure, 183
Gene mutations
in familial hypercholesterolaemia, 247
Giant cell arteritis
epidemiology, 233
osteoporosis after long-term corticosteroid treatment, 391
Glomerular filtration
in primary hyperparathyroidism, 317
Glomerulonephritis
necrotizing, in Wegener's granulomatosis, 215
Glucose tolerance
abnormal, treatment with metoprolol and atenolol, 37
Glutathione peroxidase
in relation to lipid peroxidases and lipoproteins, 287
Graves' thyrotoxicosis
total and age-specific incidence, 137

Haematological abnormalities
in human immunodeficiency virus infection, 253
Haemodilution
with Dextran in claudicants, 19
with hydroxyethyl starch, 107
Haemoglobin
glycosylated, in iron- and vitamin B12 deficiency, 133
levels, in relation to smoking habits, 101
Haemorheology
and Dextran-haemodilution, 19
Haemostasis
suppression of thromboxane release, 189
Hand handicap
and rheumatoid arthritis in a fish-eating society, 49
Heart rate
during maximal exercise, 157
Heparin
inhibition of spontaneous thrombolysis, 125
HLA-linked iron-loading gene
population study using serum ferritin estimations, 397
HMG CoA reductase inhibitors
effect on metabolism of apo B-containing lipoproteins in hypercholesterolaemia, 81
Hydroxyethyl starch haemodilution
to treat peripheral arterial occlusive disease, 107
Hypercholesterolaemia
decreased mitogenic activity in plasma, 339
pravastatin therapy, 81
Hyperinsulinaemia
and hypertension, 273
Hyperlipidaemia
effect of serum lipids on development of femoral atherosclerosis, 381
Hyperparathyroidism
evaluation of renal function, 317
Hypertension
and testosterone levels during job strain, 31
and abnormal glucose tolerance, 37
and coronary heart disease, 77
and cyclosporin A treatment of severe steroid resistant nephrotic syndrome, 65
comparison of metoprolol and atenolol treatment, 37
effect of nifedipine during renal failure, 329
fibrinogen and plasminogen activator inhibitor levels, 273
long-term norpharmacological treatment, 413
Hypoglycaemia
and lipolytic sensitivity to catecholamines, 309

Idiopathic haemochromatosis
population study in males over 40 years, 397

Idiopathic ventricular fibrillation
presenting as syncope, 211
Immune dysregulation
induction by carbamazepine, 355
Immunodeficiency virus infection
haematological abnormalities, 253
Infected mural thrombus
case report and literature review, 281
Insulin secretion
in relation to diltiazem treatment, 285
Interferon alpha-2b
effect in advanced multiple myeloma, 45
Interferon-α
treatment, possible induction of systemic lupus erythematosus, 207
Interleukin 1
levels in human immunodeficiency virus infection, 253
Intermittent claudication
prevention of myocardial infarction, 301
Intractable hiccups
treatment with digital rectal massage, 145
Intradermal tests
to diagnose autoimmune progesterone dermatitis, 143
Iron deficiency
glycosylated haemoglobin levels, 133

Lipid peroxide levels
in relation to glutathione peroxidase and lipoproteins, 287
Lipids
effect of captopril and metoprolol on blood levels, 119
Lipolysis
increased sensitivity to catecholamines in diabetes, 309
Lipoprotein
receptor locus, novel gene mutations at, 247
turnover during cholestyramine treatment in familial hypercholesterolaemia, 201
and abnormal glucose tolerance in hypertensives, 37
changes in HDL levels in acute malaria, 151
Lovastatin
effect on metabolism of apo B-containing lipoproteins in hypercholesterolaemia, 81
Lymphopenia
in human immunodeficiency virus infection, 253

Malaria
changes in plasma lipoproteins in, 151
Maximal exercise
blood pressure and heart rate during, 157
Mean platelet volume
and prognosis in cerebral infarction, 11
Menopause
influence on dietary treatment of obesity, 173
Metoprolol
effect on blood lipid levels, 119
effects in hypertension with impaired glucose tolerance, 37
Metropathia
cardiovascular death after radiotherapy for, 95
Microdialysis
role in clinical investigations, 295
Mitogenicity
in hypercholesterolaemic plasma, 339
Mortality
in ischaemic heart disease, 195

Multiple myeloma
effect of interferon alpha-2b, 45
Myocardial infarction
effects of ticlopidine on prevention, 301
method for distinguishing from chest pain of other origin, 165
two-year survival following, 195
urinary thromboxane in diagnosis of, 429

Nasogastric tube
treatment of hiccups following insertion, 145
Nephrotic syndrome
severe steroid resistant, treatment with Cyclosporin A, 65
Nephrotoxicity
treatment with Cyclosporin A, 65
Neurological sequelae
and creatine kinase isoenzyme BB, 5
Nicotinic acid
effect on development of femoral atherosclerosis in hyperlipidaemia, 381
Nifedipine
effect as antihypertensive drug in renal failure, 329

Obesity
in relation to autonomic neuropathy in diabetes mellitus, 57
influence of menopause on dietary treatment, 173
prevalence in Sweden, cross-sectional study, 241
Osteopenia
in insulin-dependent diabetes mellitus, 325
Osteoporosis
after corticosteroid treatment of giant cell arteritis, 391
Overdose
from analgesics, 423
Ovulation suppression
treatment for autoimmune progesterone dermatitis, 143

Pain extension
and right arm involvement during chest pain, 165
Pancytopenia
in systemic lupus erythematosus related to azathioprine, 69
Paracetamol
consumption, overdose and death from, 423
Peripheral arterial disease
efficacy of treatment by haemodilution, 19
Physical exercise
in norpharmacological treatment of hypertension, 413
Plasma fibrinogen
as independent cardiovascular risk factor, 365
Plasminogen activator
inhibition of thrombolytic effect by heparin, 125
Plasinogen activator inhibitor
activity in high consumers of fruit and vegetables, 267
levels in hypertension, relation to cardiovascular disease, 273
Plasmodium
changes in plasma lipoproteins after infection, 151
Platelet count
and prognosis in cerebral infarction, 11
Pneumocystis carinii
pneumonia in acquired immunodeficiency syndrome, 359
Polymyalgia rheumatica
epidemiology, 233
Pravastatin
effect on metabolism of apo B-containing lipoproteins in hypercholesterolaemia, 81

Pregnancy
and sarcoidosis, 221
Progesterone hypersensitivity
treatment by ovulation suppression, 143
Pseudolymphoma
induction by carbamazepine, 355

Radiotherapy
for benign bleeding disorders, risk of cardiovascular death, 95
Relaxation training
in norpharmacological treatment of hypertension, 413
Renal failure
acute, erythropoietin deficiency, 373
effect of nifedipine as antihypertensive drug, 329
and primary hyperparathyroidism, 317
Resuscitation
of hospitalized patients, 15
Rheumatoid arthritis
and hand handicap in a fish-eating society, 49

Salt restriction
in norpharmacological treatment of hypertension, 413
Sarcoidosis
and pregnancy, 221
Serum lipids
long-term nopharmacological treatment for hypertension, 413
Serum lipoproteins
effect on femoral atherosclerosis in hyperlipidaemia, 381
Silent presentation
in diagnois of temporal arteritis, 237
Simvastatin
effect on mitogenic activity in hypercholesterolaemia, 339
Smoking
and metabolic control in diabetes mellitus, 101
Smooth muscle
mitogenic activity in hypercholesterolaemia, 339
Solitary toxic adenoma
total and age-specific incidence, 137
Streptokinase
inhibition of thrombolytic effect by heparin, 125
Stress
plasma testosterone fluctuations during, 31
Stroke
effects of ticlopidine on prevention, 301
Syncope
idiopathic ventricular fibrillation presenting as, 211

Systemic lupus erythematosus
pancytopenia in, 69
possible induction by interferon-α treatment, 207

Temporal arteritis
with normal erythrocyte sedimentation rate, 279
biopsy-proven, epidemiology, 233
Temporal arteritis
silent presentation and delay in diagnosis, 237
Testosterone
fluctuations in relation to job stress, 31
Thrombolysis
spontaneous, inhibition by heparin, 125
Thromboxane B
release, effect of acetylsalicylic acid in cardiovascular disease, 189
Thromboxane
urinary excretion, in diagnosis of myocardial infarction, 429
Thyrotoxicosis
total and age-specific incidence, 137
Ticlopidine
effects on myocardial infarction and stroke with intermittent claudication, 301
Toxic nodular goitre
total and age-specific incidence, 137
Transferrin saturation
as indicator of frequency of HLA-linked iron-loading gene, 397
Triglyceride
turnover during cholestyramine treatment in familial hypercholesterolaemia, 201
effect of fish oil concentrate, 347
Tubular necrosis
acute, erythropoietin deficiency, 373
Tumour necrosis
factor-α levels in human immunodeficiency virus infection, 253

Vitamin B12
deficiency anaemia, haemoglobin levels, 133

Wegener's granulomatosis
mediastinal tumour as presenting manifestation, 215
Weight reduction
in norpharmacological treatment of hypertension, 413

97

253